



United Corrstack LLC
720 Laurel Street
Reading, PA 19602
Phone: 610-374-3000
Fax: 610-376-8215

June 5 2009

Re: FDA, California Proposition 65, CONEG Compliance, Ozone Depleting Substance, and Recycled Fiber Content

United Corrstack LLC corrugating medium is in compliance with these regulations:

- United Corrstack LLC corrugating medium is in compliance with the Food and Drug Administration in accordance with CFR Title 21 176.170 and CFR Title 21 176.180.
- United Corrstack LLC corrugating medium is in compliance with the CONEG regulations and does not contain Lead, Cadmium, Mercury, or Hexavalent Chromium in excess of 100 ppm.
- United Corrstack LLC corrugating medium is in compliance with Section 602 of Title VI- "Stratospheric Ozone Protection", of the 1990 Clean Air Act Amendments, not containing, any Class I or Class II ozone depleting chemicals (ODC's).
- United Corrstack LLC corrugating medium is in compliance with California Proposition 65 and does not contain cancer causing or reproductive toxins in amounts listed under California Proposition 65.
- United Corrstack LLC does not use dimethyl fumerate (DMF) in its papermaking process.
- United Corrstack LLC corrugating medium is 99.6% post consumer recycled fiber and .4% pre consumer recycled fiber.

Medium analysis is done periodically and the results have been in compliance with the above regulations.

Please contact us if you require further information.

Sincerely,
Art McLaughlin
Mill Manager
United Corrstack LLC